

# VICTORIA Electric trekking bike "AVYON 5" (#3)

**wave, 27,5", slate grey matt, 5-speed SHIMANO "Nexus" neutral, 52 cm / M**

## RRP: €3,999.00

### Basic Data

| | |
|---|---|
| **Supplier Article Number:** | KHA261096 |
| **EAN** | 4251971188983 |
| **MSRP:** | €3,999.00 |
| **DST-Code** | 1B01 |
| **SB-Article** | No |
| **Bidex-Code** | 122010 |
| **Fedas-Code** | 155021 |
| **Brand/Supplier** | VICTORIA |
| **Unit of measure:** | PIECE |
| **Weight** | 28.7 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 600.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | hydraulic disc brake |
| **Category E-bike** | 2 |
| **Colour designation** | slate grey matt |
| **Drive** | chain |
| **Drive system** | BOSCH Performance Line PX |
| **Drive version** | middle motor |
| **E-bike** | yes |
| **Engine power** | 250 W |
| **Features** | chain guard , electronic sliding aid , fender , suspension fork , system carrier |
| **Frame height** | 52 cm |
| **Frame shape** | wave |

| | |
|---|---|
| **Frame size** | M |
| **Gears** | 5-speed |
| **Gender** | ladies |
| **Main colour** | grey |
| **Material** | aluminium |
| **Model range** | Avyon |
| **Permissible system weight** | 140 kg |
| **Shifting name** | 5-Gang SHIMANO "Nexus" Leerlauf |
| **Shifting type** | internal gear shifting |
| **Support** | up to 25km/h |
| **Torque** | 90 Nm |
| **Transmission** | 1x 5-speed |
| **Travel** | 100 mm |
| **Type** | SUV |
| **Wheel size** | 27,5 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH "PowerTube 600" 600 Wh |
| **Bottom bracket** | BOSCH |
| **Chain / belt** | KMC "Z1eHX EPT Narrow" |
| **Chain guard** | CURANA "C-Lite Chainguard" M+, Avyon, Schwarz |
| **Chain ring / pulley** | ESJOT 42 T. |
| **Charger** | BOSCH 4 A, BES3 |
| **Crank** | FSA 170 mm, ISIS |
| **Display** | BOSCH "Purion 200" |
| **Engine** | BOSCH "Performance Line PX/Sport" BES3 |
| **Fork** | ROCKSHOX "Judy", 100 mm |
| **Frame** | Bosch-Intube-Elektro-Trekking-Frame, Aluminium |
| **Frame Lock** | ABUS "4750" XL |
| **Front brake** | SHIMANO "BL-M4100 / BR-MT410", hydraulisch, Post Mount, Adapter für 180 mm |
| **Front fender** | CURANA "Orbit", 65 mm, schwarz matt |
| **Front hub** | SHIMANO "HB-TC500-15" Center Lock, 15x110mm, 36H |
| **Front light** | AXA "NXT", 80 Lux |
| **Front rotor** | SHIMANO "SM-RT30", 203 mm, CenterLock |
| **Front tire** | MAXXIS "Metropass AT", 61-584 |
| **Grips** | HERRMANS "Nucore Grip Town Peak" |
| **Handlebar** | SATORI "WIEN", 31,8mm, 680mm, Rise 20°, Backsweep 15° |
| **Headset** | FSA "55R" |
| **Pedals** | MARWI "SP-828" Victoria Logo, Schwarz |
| **Rear brake** | SHIMANO "BL-M4100(R)/BR-MT410(R)" SM-MA-F180P2, Resin Pad |
| **Rear carrier** | MIK HD |
| **Rear hub** | SHIMANO "Nexus SG-C7000-5D", 5-Gang, Leerlauf, Center Lock, 36 Loch, schwarz |

| | |
|---|---|
| **Rear light** | Büchel "Nano COB", integriert im Schutzblech |
| **Rear mudguard** | CURANA "Orbit", 65 mm, schwarz matt, Nano COB |
| **Rear rotor** | SHIMANO "SM-RT30", 180 mm CenterLock |
| **Rear tire** | MAXXIS "Metropass AT", 61-584 |
| **Rims** | RODI "BlackRock 25" 27,5", 25-584, 36 Loch, Schwarz |
| **Saddle** | SELLE ROYAL "Explora" |
| **Seatpost** | ERGOTEC "HOOK", 31,6mm, 400mm, 15mm, Schwarz |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |
| **Shifting lever** | SHIMANO "Nexus SL-C7000-5", 5-Gang |
| **Spokes** | 2,0 mm, Niro, schwarz |
| **Sprocket / pulley** | SHIMANO "CS-C7000", 27 Zähne |
| **Stands** | URSUS "R97 IC invisible Connect" |
| **Stem** | SATORI "Hatchback", 31,8 mm |